# WATERPROOF


Waterproof and durable, long service life






# Video Doorbell

Real time monitoring of door conditions





# **Smart WiFi configuration**

Long distance signal transmission, no need to open the door to know the visiting information. It can support multiple users to watch online at the same time



#### **Make communication clearer**

HD video two-way voice calls so that communication zero distance



## **Over 6 months long standby**

Easy installation , ultra low power consumption technology. effective use for more than 6 months



## Whenever You Want to See It

No matter travel, work or wait for the traffic lights, you can turn on the camera at any time to Watch all the dynamics in the yard



Name

Mini waterproof WIFI doorbell

describe	features	wireless connection[]Ultra-low power consumption[]Remote active awakening[]Quick start
	use	Guests will be able to make video voice calls and take short videos. The owner will not need to open the door to know the information
	Wake up the way	The doorbell button awakens,PIR body detection wake up,Mobile phone call
	Alarm push	Push for 1 second
operating system	Number of users online	Multiple users are online simultaneously
	Dynamic DNS	Bring your own dynamic domain name
	processor	A powerful, high-performance, programmable media HiSilicon processor with built-in ARM926 @max. 440MHz and high-speed video coprocessor
	CCD	1/2.7 inch 1080p scan CMOS sensor
collect	Sensor performance	Support automatic white balance, automatic gain control, automatic backlighting compensation
	SNR	≥39dB
	Lens/visual Angle	2.6mm @F2.0/155°
	LED	Double filter automatic switching, Six 850 - nm high power infrared lamp, night vision 10 meters
	IR control	IR opens night vision[]Automatic detection of infrared and ICR[]IR shuts the night vision function off the infrared and the ICR is fixed in daily viewing mode
	Compression standard	H.264 Main Profile/H.264 Baseline Profile/MJPEG/JPEG Baseline
video	Video coding	More stream[]1080P/15fps+720P/15fps+VGA/30fps+QVGA/30fps+1080P@1fsJPEG snap
	resolution	1080P
audio	input	1 channel built-in - 48dB microphone
	output	Built-in speaker (8 $\Omega$ 1 w)
	interphone	Two - way voice - speak, bring back the echo cancellation
	Compression standard/ code rate	ADPCM/32kbps
network	Network protocol	TCP/IP,HTTP,TCP,UDP,SMTP,FTP,DHCP,DNS,DDNS,NTP,UPnP,RTSP[]P2P
	wireless network	802.11b/g/n
	Wireless network security	WPS Security encryption
	wireless connection	One-button WIFI configuration
video	Video mode	Mobile detection video, doorbell button trigger video, manual video

other	power	Battery power supply two section 18650 core international general
	Power consumption	Standby current 200 uA working current 170MA
	work environment	Working temperature: - 10 ~ 50 °C, humidity is < 95%
	installation	Door wall mounting
	material	ABS
	Product size	140mmx45.5mmx27.5mm