

5A DH-7004 4 4 1 1 1



Model	DH-7001	DH-7002	<b>DH-7004</b>
Protocol	TCP / IP 10M / 100M	TCP / IP 10M / 100M	TCP / IP 10M / 100M
Ports	1	2	4
PCB Size	160 106mm *	160 106mm *	160 106mm *
Dimensions	273 * 228 * 65 mm		
Voltage	12VDC 4-7A		
Current	100 mA		
Supported Protocols	Wiegand 26, Motorola, HID, EM, Mifare one		
Relays	2	4	4
Buttons	1	2	4

PC LAN

1. 产品概述：本产品是一款高性能的RF功率放大器，广泛应用于移动通信、卫星通信、雷达探测等领域。
   
 2. 产品特点：
 

- 输出功率大，效率高，失真度低。
- 工作频率宽，覆盖范围广。
- 结构紧凑，体积小，重量轻。
- 使用寿命长，维护方便。



## Access Control Power supply

BEDDING COTTON FABRIC IS, IT SEEMS TO BE AS SOFT T-SHIRT. FANGZHU USES ANCIENT WEAVING TECHNIQUES FROM EVERY DETAIL TO ENSURE SUPERIOR QUALITY. PEOPLE LYING THERE SLEEPING ON A COMFORTABLE FEEL SPECIAL.

stem

MHz

ps+

---



**Metal shell**

High-quality materials

**Intelligent circuit**







Charging overload protection

**Delay adjustment**



**Kindly remind:**

All network control board must configure with access power supply.  
1 board for 1 power supply

-   
RFID Reader
-   
Exit Button
-   
Electric Lock
-   
Power Supply
-   
Alarm and Fire Control  
Expansion Panel
-   
Alarm

