

304RFIDDH8181-Y

UdohowRFID

Induction Card Opening DH-8181

304 Stainless Steel | Smart Card Or Mechanical Key | High Security





[illegible]

1. RFID 13.56MHz Mifare 1
2. Temic 125MHz Mifare 13.56MHz
- 3.
4. 4 1
5. 4.8v 3 LED 50
6. 256
7. 14
8. PMS SDK
9. 38mm 65mm
10. RF
11. ANSI 5

Detail Display

High Quality Life Choices



Official Marking

High Qualify Life Choices



Front Panel / Rear Panel



Lock / Door Clasp



Lock Core / Key (two)



Two Open Door Cards



Accessories Screw


High Quality Life Choices

Direction Of Opening

Simply speaking, which way is the hinge on which side to open, The push door is inside, and the open door is open.

C, (Left Pull) -- facing the door, the hinge is mounted on the left side of the doorframe and pushed to the door.

D, (Left Push) -- facing the door, the hinge is mounted on the left side of the doorframe, and the outside door is pulled out.

[illegible]

7.000/000/00000000/000000/000000/000001600000000000

CONTACT US



UDOHOW 鼎昊®



Sincerely for your service

You are welcome to come to consult

Contact: Yimo Yang

Cellphone/Wechat/Whatsapp: +86 13612936220

Skype: udohow3

Email: udohow1@udohow.com

Web: www.udohow.com

HOME