


## Samrt keypad rfid TT door lock with APP



App TT Lock is an intelligent block management software. The APP connects the block via BLE bluetooth communication, the user can perform blocking, unlocking, updating the firmware, reading the operation logs in the APP.

# The Features of APP



**Send eKey**

eKey Type   Timed >

Recipient   Enter Recipient's Account

Name   Please Enter a Name for this eKey

Start Time   2018.09.21 18:04

End Time   2018.09.21 19:04

Send

**Send Passcode**

Permanent   Timed   One-time   Erase

Generate

This Passcode MUST BE used at least Once, within 24 Hours from Current Time, or it will be SUSPENDED for Security Reasons.

**Send Passcode**

One-time   Erase   Customized   Cyclic

Start Time   2018.09.21 17:00

End Time   2018.09.21 17:00

Set Passcode

You can Configure your own Passcode. Your Passcode needs to be between 4 - 9 Digits in Length. You can Configure the Customized Passcode via Bluetooth or Remotely via a Gateway.

**Records**

Search

2018.09.19

- 01  
16:32:15 unlock with APP success
- Card01  
16:20:39 unlock with IC card success
- 09489905  
16:20:25 unlock with Passcode 09489905 success
- 13128711855  
16:19:57 unlock with APP success
- 13128711855  
16:16:37 unlock with APP success
- Card01  
16:16:10 unlock with IC card success
- 79470944  
16:15:53 unlock with Passcode 79470944 success
- 13128711855

**Settings**

Lock Number   S202C\_353c53

MAC/ID   D8:64:A5:53:3C:35/1277856

Battery   100%

Validity Period   Permanent

Lock Name   2019密码 >

Lock Group   Ungrouped >

Admin Passcode   4968669 >

Lock Time >

Lock Sound >

Unlock Remotely   Off >

Diagnosis >

Firmware Update >

Attendance

Function:

Four independent unlocking methods: unlocking methods: Bluetooth, combination, card and mechanical key

Password entry by tapping Key Pression

Microwave induction

The ways of opening the lock can be set as required. Use IC cards or passwords separately to open / Only IC cards and passwords used together could open the blocks.

The cards are set by the locking system and the software is not necessary. 2 management cards and 200 cards maximum.

Passwords can be changed as desired. 1 management password and 50 password for opening the door at the most.

Messy codes could be used when entering passwords. 12 digits maximum.

It works with alkaline battery, low consumption and long life.

Indication of power failure, usable external source.