


Умный цифровой замок ящика шкафа



Specifications

Power Supply	DC6V, use of 4 pieces of AA batteries
Supply Voltage	Below DV4.5V with lack of voltage indications and can use about 200 more times.
Static Power Supply	<10u A
Dynamic Power Supply	<150mA
Lifetime of battery	Normally can exceed 20,000 times and 200 more with low energy indication
Latch length	15mm
Door thickness	10-35mm
Working temperature	-20~+55
Lock types	PIN Code, RFID Card
Colors	Sliver

Кодовый замок



Характерная черта:

1. Уникальный умный дизайн Цифровой замок с замком.
2. Система управления четырьмя рычагами.
3. четыре интеллектуальных состояния тревоги. -Неправильная сигнализация тревоги - Недопустимая тревога по ключу -Автоматическая сигнализация (АТА) -Тревога низкого напряжения.
4. Внешнее резервное питание доступно.
5. Anti-влажность, анти-пыль, анти-шок Цифровой замок Locker Lock Locker Lock Club Locker Lock.
6. Удобная эксплуатация при установке, разборке и замене аккумулятора.
7. Долговечность обслуживания и минимальное обслуживание.
8. Ультра энергосберегающий: 4 стандартных щелочных батареи размера АА могут работать более 16 000 циклов.
9. Международный стандарт Digital Locker

